



- A. Outside Diameter \_\_\_\_\_  
 B. Inside Diameter \_\_\_\_\_  
 C. Degrees of Arc \_\_\_\_\_  
 D. Developed Length \_\_\_\_\_  
 E. Brush Filling Type \_\_\_\_\_

(nylon, polypropylene, tampico, horse hair, wire, other)

Bristle Diameter \_\_\_\_\_

Color \_\_\_\_\_ crimped ☐ level ☐

- F. Metal Channel Size # \_\_\_\_\_

	width	x	height
#2	3/32 (.094)	x	3/32 (.094)
#2.5	1/8 (.125)	x	1/8 (.125)
#3	5/32 (.156)	x	5/32 (.156)
#4	3/16 (.187)	x	3/16 (.187)
#5	1/4 (.250)	x	1/4 (.250)
#6	15/64 (.234)	x	11/32 (.343)
#7	5/16 (.312)	x	5/16 (.312)
#8	23/64 (.359)	x	23/64 (.359)
#10	7/16 (.437)	x	7/16 (.437)

(#4 and #7 are most common)

- G. Channel Material

Galvanized ☐

Stainless Steel ☐

Aluminum ☐

(galvanized is the most common)

- H. Bristle Density

light ☐ medium ☐ heavy ☐

- I. Quantity Per Order \_\_\_\_\_

- J. Annual Usage \_\_\_\_\_

- K. Brush Application and/or Comments

---



---



---



---

## COMPANY INFO

### Quotation Requested By:

Company \_\_\_\_\_

Contact Person \_\_\_\_\_

Address \_\_\_\_\_

Telephone # \_\_\_\_\_

Fax # \_\_\_\_\_

E-mail Address \_\_\_\_\_



Minimum O.D. for the inside curve is 1 1/4".

If the brush is to fit a holder please indicate, to assure proper fit.

Please indicate any critical tolerances.

Minimum quantities may be required.