



## Carbon Steel Wire Copper Center Wheel Brushes

### COPPER CENTER WHEEL BRUSHES - Carbon Steel Wire

BRUSH NUMBER	BRUSH DIAMETER	WIRE SIZE	ARBOR HOLE	NOMINAL FACE WIDTH	TRIM LENGTH	MAX SAFE FREE SPEED (RPM)
23427	1	0.006	1/4	11/64	1/4	20,000
23428	1-1/4	0.006	1/4	3/16	11/32	20,000
23429	1-1/4	0.008	1/4	3/16	11/32	20,000
23430	1-3/8	0.006	1/4	3/16	13/32	20,000
23431	1-3/8	0.008	1/4	3/16	13/32	20,000
23432	1-3/8	0.0104	1/4	3/16	13/32	20,000
23433	1-1/4	0.006	3/8	7/32	1/4	20,000
23434	1-1/4	0.008	3/8	7/32	1/4	20,000
23435	1-1/4	0.0104	3/8	7/32	1/4	20,000
23436	1-1/4	0.0118	3/8	7/32	1/4	20,000
23437	1-1/4	0.014	3/8	7/32	1/4	20,000
23438	1-3/8	0.006	3/8	9/32	5/16	20,000
23439	1-3/8	0.008	3/8	9/32	5/16	20,000
23440	1-3/8	0.0104	3/8	9/32	5/16	20,000
23441	1-3/8	0.0118	3/8	9/32	5/16	20,000
23442	1-3/8	0.014	3/8	9/32	5/16	20,000
23443	1-1/2	0.006	3/8	9/32	3/8	20,000

23444	1-1/2	0.008	3/8	9/32	3/8	20,000
23445	1-1/2	0.0104	3/8	9/32	3/8	20,000
23446	1-1/2	0.0118	3/8	9/32	3/8	20,000
23447	1-1/2	0.014	3/8	9/32	3/8	20,000
23448	1-1/2	0.006	1/2	11/32	9/32	20,000
23449	1-1/2	0.008	1/2	9/32	9/32	20,000
23450	1-1/2	0.0104	1/2	9/32	9/32	20,000
23451	1-1/2	0.0118	1/2	9/32	9/32	20,000
23452	1-1/2	0.014	1/2	9/32	9/32	20,000
23453	2	0.006	1/2	11/32	17/32	20,000
23454	2	0.008	1/2	9/32	17/32	20,000
23455	2	0.0104	1/2	9/32	17/32	20,000
23456	2	0.0118	1/2	9/32	17/32	20,000
23457	2	0.014	1/2	9/32	17/32	20,000
23458	2-1/2	0.006	1/2	11/32	3/4	20,000
23459	2-1/2	0.008	1/2	9/32	3/4	20,000
23460	2-1/2	0.0104	1/2	9/32	3/4	20,000
23461	2-1/2	0.0118	1/2	9/32	3/4	20,000
23462	2-1/2	0.014	1/2	9/32	3/4	20,000
23463	3	0.006	1/2	3/8	1	20,000
23464	3	0.008	1/2	3/8	1	20,000
23465	3	0.0104	1/2	3/8	1	20,000
23466	3	0.0118	1/2	3/8	1	20,000
23467	3	0.014	1/2	3/8	1	20,000
23468	4	0.006	1/2	1/4	1-1/2	20,000
23469	4	0.008	1/2	11/32	1-1/2	20,000
23470	4	0.0104	1/2	11/32	1-1/2	20,000
23471	4	0.0118	1/2	11/32	1-1/2	20,000
23472	4	0.014	1/2	11/32	1-1/2	20,000
23473	2	0.008	9/16	9/32	19/32	20,000
23474	2	0.0104	9/16	9/32	19/32	20,000
23475	2	0.0118	9/16	9/32	19/32	20,000
23476	2	0.014	9/16	9/32	19/32	20,000
23477	2-1/2	0.006	5/8	9/32	11/16	20,000
23478	2-1/2	0.0118	5/8	9/32	11/16	20,000
23479	2-1/2	0.014	5/8	9/32	11/16	20,000

continued on next page

23480	3	0.006	5/8	3/8	15/16	20,000
23481	3	0.008	5/8	3/8	15/16	20,000
23482	3	0.0118	5/8	3/8	15/16	20,000
23483	3	0.014	5/8	3/8	15/16	20,000
23484	4	0.006	5/8	11/16	1-7/16	20,000
23485	4	0.0118	5/8	11/16	1-7/16	20,000

6700 Parkland Boulevard, Solon, OH 44139 USA  
Phone: 800-252-4747 | Fax: 800-252-0834