products and services for the galvanising industry

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : Antivapor-G

1.2. Recommended use and restrictions on use

For use in sulphuric acid pickling solutions.

1.3. Supplier

SOPRIN S.r.I. Via dell'Industria 106 31052 Maserada Sul Piave (TV) - Italy T (+39) 0422 521025 - F (+39) 0422 521060 soprin@soprin.it (Alessandro Padovan)

1.4. Emergency telephone number

Emergency number : CHEMTREC 800 424 9300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-US/CAN)

Carcinogenicity Category 1A H350 Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US/CAN labeling

Hazard pictograms



Signal word : Danger

Hazard statements : H350 - May cause cancer

Precautionary statements : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308+P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US/CAN)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)	GHS-US classification
Sulfuric acid	(CAS No) 7664-93-9	0.2	Met. Corr. 1, H290 Acute Tox. 2 (Inhalation), H330 HHNOC 1, HHNOC Skin Corr. 1, H314 Eye Dam. 1, H318 Carc. 1A, H350	Met. Corr. 1, H290 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions

for rescue workers.

First-aid measures after skin contact : Remove contaminated clothing. Rinse skin with a shower immediately. Get medical

advice/attention.

05/29/2018 SDS1390 Page 1

Safety Data Sheet

: Remove contact lenses, if present Wash immediately with plenty of water for at least 30-60 First-aid measures after eve contact

minutes, opening the eyelids fully. Get medical advice/attention.

Have the subject drink as much water as possible. Get medical advice/attention. Do not induce First-aid measures after ingestion

vomiting unless explicitly authorized by a doctor.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : None anticipated under normal product handling conditions. Symptoms/injuries after skin contact : None anticipated under normal product handling conditions. Symptoms/injuries after eye contact : None anticipated under normal product handling conditions. Symptoms/injuries after ingestion : None anticipated under normal product handling conditions.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Carbon dioxide, foam, powder and water spray.

Special hazards arising from the substance or mixture

Fire hazard : None. · None known. Explosion hazard

Advice for firefighters

Firefighting instructions : Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect

extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

For emergency responders

No additional information available

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

: Stop the flow of material, if this is without risk. For containment

Methods for cleaning up Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure

the leakage site is well aired.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Before handling the product, consult all the other sections of this material safety data sheet.

Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

Conditions for safe storage, including any incompatibilities

Storage conditions Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Sulfuric acid (7664-93-9)		
USA - ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
Canada (Quebec)	VECD (mg/m³)	3 mg/m³
Canada (Quebec)	VEMP (mg/m³)	1 mg/m³
Alberta	OEL STEL (mg/m³)	3 mg/m³

05/29/2018 SDS1390 2/5

Safety Data Sheet

Sulfuric acid (7664-93-9)		
Alberta	OEL TWA (mg/m³)	1 mg/m³
British Columbia	OEL TWA (mg/m³)	0.2 mg/m³ (Thoracic, contained in strong inorganic acid mists)
Manitoba	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
New Brunswick	OEL STEL (mg/m³)	3 mg/m³
New Brunswick	OEL TWA (mg/m³)	1 mg/m³
New Foundland & Labrador	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
Nova Scotia	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
Nunavut	OEL STEL (mg/m³)	0.6 mg/m³ (thoracic fraction)
Nunavut	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic fraction)
Northwest Territories	OEL STEL (mg/m³)	0.6 mg/m³ (thoracic fraction, strong acid mists only)
Northwest Territories	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic fraction, strong acid mists only)
Ontario	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic)
Prince Edward Island	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
Saskatchewan	OEL STEL (mg/m³)	0.6 mg/m³ (thoracic fraction)
Saskatchewan	OEL TWA (mg/m³)	0.2 mg/m³ (thoracic fraction)
Yukon	OEL STEL (mg/m³)	1 mg/m³
Yukon	OEL TWA (mg/m³)	1 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Local exhaust and general ventilation must be adequate to meet exposure standards.

Hand protection : Use impervious gloves such as neoprene, nitrile, or rubber for hand protection.

Eye protection : Wear protective airtight goggles.
Skin and body protection : Wear suitable working clothes.

Respiratory protection : If airborne concentrations are above the applicable exposure limits, use NIOSH approved

respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Dark brown.
Odour : Natural essences
Odour threshold : No data available

pH : > 2.1

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point : <-5 °C

Boiling point : No data available

Flash point : > 100 °C

Self ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 1005 kg/m³ Solubility : Soluble in water Log Pow : No data available Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available : No data available Explosive properties Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

05/29/2018 SDS1390 3/5

Safety Data Sheet

SECTION 10: Stability and reactivity

Reactivity

No additional information available

Chemical stability

The product is stable at normal handling and storage conditions.

Possibility of hazardous reactions

Will not occur.

Conditions to avoid 10.4.

None.

10.5. Incompatible materials

Amines, Bases.

10.6. **Hazardous decomposition products**

Flammable substances, reducing substances, basic substances, metals, organic substances and water.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation)

Sulfurio	acid	(7664-93-9)	
Oulluit	acia	1 0000-01	

Suituric acid (7604-93-9)	
LD50 oral rat	2140 mg/kg
LC50 inhalation rat (mg/l)	510 mg/m³ (Exposure time: 2 h)

Skin corrosion/irritation : Not classified

pH: > 2.1

Serious eye damage/irritation : Not classified

pH: > 2.1

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer.

Sulfuric acid (7664-93-9)

IARC group	1 - Carcinogenic to humans
nate group	1 Carollogorilo to Harriano

Reproductive toxicity : Not classified Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

: Not classified Aquatic acute : Not classified Aquatic chronic

Sulfur	ic acid	(7664-	93-9)

LC50 fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
BCF fish 1	(no bioaccumulation)

Persistence and degradability

No additional information available

Bioaccumulative potential 12.3.

Sulfuric acid (7664-93-9)	
BCF fish 1	(no bioaccumulation)

12.4. **Mobility in soil**

No additional information available

Other adverse effects

Ozone : Not classified

05/29/2018 SDS1390

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

TDG

Not regulated for transport

14.2. Transport information/DOT

DOT

Not regulated for transport

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. Canada National regulations

Sulfuric acid (7664-93-9)

Listed on the Canadian DSL (Domestic Sustances List)

15.2. US Federal regulations

Sulfuric acid (7664-93-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 302 (Specific toxic chemical listings) Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 302 Threshold Planning Quantity (TPQ) 1000		1000
SARA Section 313 - Emission Reporting 1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of ar		1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

15.3. US State regulations

Sulfuric acid (7664-93-9)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

torti or i i pinidoot	At a straight a straig	
H290	May be corrosive to metals	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H330	Fatal if inhaled	
H331	Toxic if inhaled	
H350	May cause cancer	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/29/2018 SDS1390 5/5